

Cleme de conexiuni




Automatizari
electrice si pneumatice



Standard: IEC - 60947-7-1

Fixed terminal blocks

Series fixed terminal blocks with universal application in electrical distribution boxes. For DIN-rail mounting. Variety of sizes for optimum using of the space in the distribution boxes through selection of appropriate terminals for the corresponding conductors. Made of non-flammable insulating polymeric material.



Section of the conductor (mm ²)		Size of the terminal (mm)			In (A)	Un (V)	Colour	Type number	Catalogue number
single-core	multiple-core	L	H	W					
0.2-4	0.2-2.5	42.5	47	5.2	32	800	grey red black blue	LTU2UK 3N LTU2UK 3N LTU2UK 3N LTU2UK 3N	31033 31032 31031 31035




Section of the conductor (mm ²)		Size of the terminal (mm)			In (A)	Un (V)	Colour	Type number	Catalogue number
single-core	multiple-core	L	H	W					
0.2-6	0.2-4	42.5	47	6.2	41	800	grey red black blue	LTU2UK 5N LTU2UK 5N LTU2UK 5N LTU2UK 5N	31053 31052 31051 31055



Section of the conductor (mm ²)		Size of the terminal (mm)			In (A)	Un (V)	Colour	Type number	Catalogue number
single-core	multiple-core	L	H	W					
0.2-10	0.2-6	42.5	47	8.2	57	800	grey red black blue	LTU2UK 6N LTU2UK 6N LTU2UK 6N LTU2UK 6N	31063 31062 31061 31065



Section of the conductor (mm ²)		Size of the terminal (mm)			In (A)	Un (V)	Colour	Type number	Catalogue number
single-core	multiple-core	L	H	W					
0.5-16	0.5-10	42.5	47	10.2	76	800	grey red black blue	LTU2UK 10N LTU2UK 10N LTU2UK 10N LTU2UK 10N	31103 31102 31101 31105



Section of the conductor (mm ²)		Size of the terminal (mm)			In (A)	Un (V)	Colour	Type number	Catalogue number
single-core	multiple-core	L	H	W					
2.5-25	4-16	42.5	47	12.2	101	800	grey	LTU2UIK 16	31163
10-35	10-35	55	62	15.2	125	800	grey	LTU2UIK 35	31353






Standard: IEC - 60947-7-1

LTU2 UK JD series


Series double-sided insulated fixed terminal blocks designed to connect earthing conductors. Two-colour insulation (yellow and green). Made of non-flammable insulating polymeric material.

Type number	Section of the conductor (mm ²)		Size of the terminal (mm)			In (A)	Un (V)	Colour	Catalogue number
	single-core	multiple-core	L	H	W				
5JD	0.2-4	0.2-4	42.5	47	6.2	34	800	yellow-green	31054
6JD	0.2-10	0.2-6	42.5	47	8.2	37	800	yellow-green	31064
10JD	0.5-10	0.5-6	42.5	47	8.2	61	800	yellow-green	31104
16JD	2.5-25	2.5-16	42.5	47	12.2	108	800	yellow-green	31164
35JD	2.5-35	2.5-35	42.5	47	15	135	800	yellow-green	31354

**Accessories for fixed terminal blocks – marking tags ZB type**


Accessories for marking and separation of different electrical circuits, voltage and fixing of elements for DIN-rail mounting.

Type number	Number of tags in a strip	Colour	Size (mm)	Catalogue number
ZB6	20	white	6	31906
ZB8	10	white	8	31908

**End cover**

Type number	Colour	Thickness (mm)	Catalogue number
EC	grey	1.5	31901

K5

**Fixing terminal E/UK type**

Type number	Colour	Thickness (mm)	Catalogue number
E/UK	grey	5	31902

**Terminal blocks TBH type**

Type number	Number of tags in a strip	In (A)	Un (V)	Colour	Section of the conductor (mm ²)	Catalogue number
TBH 3A	10	3	660	semi-transparent	up to 1.5	31003
TBH 6A	10	6	660	semi-transparent	up to 4	31006
TBH 10A	10	10	660	semi-transparent	up to 6	31010
TBH 15A	10	15	660	white	up to 6	31015
TBH 20A	10	20	660	white	up to 10	31020

CONTACT:

DEVA:

Str. Imparat Traian nr 15/19, DEVA, jud Hunedoara

Tel/fax: 0254/226002, mobil: 0722-730504

TG-JIU:

Str. Victoriei nr 112, TG-JIU, jud Gorj

Tel/fax: 0353-402061, mobil: 0745-647476

Email: contrax@automatizari.net

WEB: www.automatizari.net

www.rubberproducts.ro